KINGDOM OF CAMBODIA NATION RELIGION KING



Co-funded by the Erasmus+ Programme of the European Union



Institute of Technology of Cambodia

Training a new generation of entrepreneurs in sustainable agriculture and food engineering (FoodSTEM) REF: 610052-EPP-1-2019-1-KH-EPPKA2-CBHE-JP

Date: 28th of December, 2020

To: All Eligible Bidders

Subject: **Invitation Quotation to Supply Electronic Equipment** For the Training a new generation of entrepreneurs in sustainable agriculture and food engineering project (FoodSTEM)

You are kindly invited to provide us with your sealed quotation for the supply of Electronic Equipment. Project's requirements are listed below.

Item	Specification	Quantity	Statement of Compliance Bidders must state here either "Comply" of "Not Comply"
Lot 1 (IT	°C)		
1	Wireless Access Point	8	
	Environment: Indoor		
	Dimensions (WxDxH): 6.3 x 6.3 x 1.9 inch		
	Antennas: Internal		
	Data Transfer Rate: 867 Mbps		
	Frequency Band: 2.4 GHz, 5 GHz		
	Ports: 1 x 10/100/1000 RJ45, BT/BLE		
	Ceiling/wall mount kit		

	Power order: 802.3af PoE		
	Network wireless hardware support	8	
	Service term: 3 years		
	Support Contract: 24 x 7		
2	Wireless Access Point	2	
2	Form Factor: External		
	Data Transfer Rate: 1300 Mbps		
	Ceiling mountable and wall mountable		
	Wireless Protocol: 802.11 a/b/g/n/ac		
	Power Over Ethernet: PoE		
	Wi-Fi Bands: 2.4GHz, 5 GHz		
	Network wireless hardware support	2	
	Service term: 3 year		
	Support Contract: 24 x 7		
3	Gigabit Ethernet switch	1	
	Ports: 24 x 10/100/1000 (PoE+) +4 x Gigabit SFP		
	Power Over Ethernet: PoE+		
	Switching capacity: 56 Gbps		
	Frequency required: 50 -60 Hz		
	Rack-mountable		
	L2+ managed		
	Dimension (W x D x H): 17.3 x 12.2 x 1.7 inch		
	Ethernet switches License	1	
	Service term: 3 year		
	Firmware and General Upgrades		
	Advanced Hardware Replacement		
	24 x 7 support		
4	Firewall	1	
	50 - 100 User Network		
<u> </u>	Threat Protection Throughput: 250 Mbps		

	Site-to-site VPN Tunnels: 300		
	1 year license and service support		
5	Service Configuration and Installation	1	
	Configuration Firewall		
	Configuration Gigabit Ethernet switch		
	Installation Wireless Access Point		
6	Server Rack Cabinets	1	
	Size: 600x1000x2055		
	Steel Casement Door		
	Perforation Steel Door		
	Double Swing Steel Door		
	Jacking Feet 4pcs		
	Castors 4pcs		
	Power Strip 1pcs		
	Wrench 1pcs		
	Shelf 3pcs		
7	Server Rack Cabinets	1	
	800x1000x205		
	Steel Casement Door		
	Perforation Steel Door		
	Double Swing Steel Door		
	Jacking Feet 4pcs		
	Castors 4pcs		
	Power Strip 1pcs		
	Wrench 1pcs		
	Shelf 3pcs		
	Service Rack installation	1	

	Installing, training and support		
8	Smart-UPS	1	
	Type: Double conversion online		
	Number of tare power: 65 W		
	UPS Size: S		
	Number of rack unit: 6		
	Rack-mounted mode		
	USB compatible		
	Input network frequency: 40 - 70 Hz auto-sensing		
	Number of input connectors: 1 hard wire 3-wire (1P + N + E), 1 hard wire 5-wire (3P + N + E)		
	Input voltage limits: 160 - 275 V		
	Input voltage : 230V, 400V 3 phases		
	Maximum configurable power : 10000 W		
	Output frequency: 50/60 Hz +/- 3 Hz sync to mains		
	Outputvolt_other : 220V , 240V		
	Output voltage: 230 V		
	Battery recharge time : 1.5h		
	3 year warranty on repair and replace (excluding battery)		
9	Smart-UPS	5	
	Battery voltage: +/- 192 V		
	Net weight: 91.0 Kg		
	Number of rack unit : 3U		
	Dimension: 68.27 cm (Depth), 13 cm (Height), 43.2 cm (Width)		

	Hard disk: 256GB SSD		
	Operating system: Window 10 License		
	Color: Silver		
	Intel Graphic/DISPLAY: 14"FHD (1920x1080)		
13	Color Printer	3	
	Multifunction: Print, Scan, Copy, Fax with ADF		
	Maximum printing resolution 4,800 x 2,400 dpi (with Variable-Sized Droplet Technology)		
	Print Speed: ISO 24734, A4 (Black / Colour) Simplex: Up to 18 ipm / 10 ipm, Duplex: 8.7 ipm / 6.0 ipm		
	Print Speed:ISO 24734.2, A3 (Black / Colour) Simplex: Up to 10 ipm / 5.0 ipm, Duplex: 6.0 ipm / 3.7 ipm		
	Photo Default - 10 x 15 cm / 4 x 6 " Approx. 42 sec per photo (Border)		
	Automatic 2-sided printing: Yes (A4 and A3)		
	Card solts and USB function: yes		
	Maximum Copy Resolution: 600 x 600 dpi		
	Scanner Type :Flatbed colour image scanner with CIS sensor		
	Scan speed: Mono 200 dpi 6.0 sec / 8.3 ppm , Colour 200 dpi 12 sec / 4.8 ppm		
	Fax type: Walk-up black-and -white and colour fax capability		
	Fax resolution: up to 200 x 200 dpi		
	Dimensions: 666 x 486 x 418 mm (W x D x H)		
Lot 2	(RUA)		
1	Computer Desktop	18	
	Intel Quad Core i7		
	Memory:16G DDR3L		
	Hard disk: 1T SSD		
L		I	I

WiFi, BT 4.0, DVD, Windows 10		
Display: 23.8" Screen LED-Lit Monitor		
LED Digital Standing	1	
55 Inch Floor Standing Digital		
Indoor & Outdoor LED Screen LCD Video Wall 4K LCD Display Panel		
Aspect ratio: 16:9		
Feature: Touch Display, LED Backlight Display, With Remote Control		
Optimum Resolution: 1920 x 1080		
Photocopier machine	1	
Standard functions: Copy, Print, Scan, Network		
Type: Laser Printer		
Print speed: Up to 20 ppm Black-and-white & Color		
Maximum paper size: Up to 12" x 18" (Ledger/Tabloid/SRA3)		
Paper Input Capacity (std. / max.): 1,200 sheets / 2,200 sheets with options		
Router	3	
Type: Wifi Router for office		
High speed: Yes		
Data Transfer rate :867mbps at 5GHz and 300Mbps at 2.4GHz		
Connectivity technology: ethernet		
Anti-Virus	20	
Number of Device: 1 PC or Mac		
Anti-spyware, Antivirus, Malware & Ransomware protection		
PC Cloud Backup: 2GB		
	Display: 23.8" Screen LED-Lit Monitor LED Digital Standing 55 Inch Floor Standing Digital Indoor & Outdoor LED Screen LCD Video Wall 4K LCD Display Panel Aspect ratio: 16:9 Feature: Touch Display, LED Backlight Display, With Remote Control Optimum Resolution: 1920 x 1080 Photocopier machine Standard functions: Copy, Print, Scan, Network Type: Laser Printer Print speed: Up to 20 ppm Black-and-white & Color Maximum paper size: Up to 12" x 18" (Ledger/Tabloid/SRA3) Paper Input Capacity (std. / max.): 1,200 sheets / 2,200 sheets with options Router Type: Wifi Router for office High speed: Yes Data Transfer rate :867mbps at 5GHz and 300Mbps at 2.4GHz Connectivity technology: ethernet Anti-Virus Number of Device: 1 PC or Mac Anti-spyware, Antivirus, Malware & Ransomware protection	Display: 23.8" Screen LED-Lit MonitorDisplay: 23.8" Screen LED-Lit MonitorLED Digital Standing155 Inch Floor Standing DigitalIndoor & Outdoor LED Screen LCD Video Wall 4K LCD Display PanelAspect ratio: 16:9Feature: Touch Display, LED Backlight Display, With Remote ControlOptimum Resolution: 1920 x 1080Photocopier machine1Standard functions: Copy, Print, Scan, NetworkType: Laser PrinterPrint speed: Up to 20 ppm Black-and-white & ColorMaximum paper size: Up to 12" x 18" (Ledger/Tabloid/SRA3)Paper Input Capacity (std. / max.): 1,200 sheets / 2,200 sheets with optionsRouterJata Transfer rate :867mbps at 5GHz and 300Mbps at 2.4GHzConnectivity technology: ethernetAnti-VirusQuNumber of Device: 1 PC or MacAnti-spyware, Antivirus, Malware & Ransomware protection

	Smart Firewall: yes		
	Password Manager: yes		
6	Network switch	1	
	PoE: 48 PoE+ ports with 380W total power budget		
	PORTS: 24x 100M/1000M/2.5G/5G/10G, 4x 1G/10G SFP+, 4x 10G/25G SFP28		
	PROSAFE LIFETIME PROTECTION		
	VERSATILE MOUNTING OPTIONS: Supports desktop or rackmount placement		
7	Presenter remote	2	
	Wireless Presenter		
	Presentation Remote Clicker		
	Laser Pointer		
8	Projector	2	
	Brightness: 3, 500 lumen		
	Resolution: WXGA (1280 x 800)		
	Lamp Life Up to 20,000 hours		
	Throw Distance: 4.7 - 28 Feet		
	Image size: 34.5 - 300"		
	Input: VGA, HDMI, 3.5mm Audio in/out, USB		
	Lens: Optical/Digital Zoom and Vertical Keystone		
	Contrast Ratio: 20,000:1		
9	Projector screen	2	
	Type: Manual screen, wall, ceiling, white fabric		
	Screen size: 100 x 89 inch		
10	Headset	20	

USD Connection		
Dimension: (241 x 90 x 124, H x W x D) mm		
System: windows or macOS		
Cable length: 2.40 m		
Frequency response (Headset): 100Hz - 10KHz, (Microphone): 200 Hz - 6 KHz		
1 year hardware warranty		
External Hard Drive	2	
4TB Storage capacity		
Interface: USB 3.0, USB 2.0		
Dimensions (L x W x H): 4.35 x 3.23 x 0.83 inch		
Included: Portable hard drive, USB Cable, Quick install guide		
Laptop computer	1	
Ram: 8GB DDR4		
Hard disk : 256 GB SSD		
VGA: Intel UHD Graphics		
Display: 13.3" Full HD		
Operating system: Windows 10 License		
Battery Life: 3 cells up to 9 Hours		
Other: WiFi, BT, Camera		
Laptop computer		
Computer Laptop	2	
Core i7		
Ram: 16GB		
	System: windows or macOSCable length: 2.40 mFrequency response (Headset): 100Hz - 10KHz, (Microphone): 200 Hz - 6 KHz1 year hardware warrantyExternal Hard Drive4TB Storage capacityInterface: USB 3.0, USB 2.0Dimensions (L x W x H): 4.35 x 3.23 x 0.83 inchIncluded: Portable hard drive, USB Cable, Quick install guideLaptop computerRam: 8GB DDR4Hard disk : 256 GB SSDVGA: Intel UHD GraphicsDisplay: 13.3" Full HDOperating system: Windows 10 LicenseBattery Life: 3 cells up to 9 HoursOther: WiFi, BT, CameraLaptop computerComputer LaptopCore i7	Headset with Noise-Canceling Microphone (981-000710)Dimension: (241 x 90 x 124, H x W x D) mmSystem: windows or macOSCable length: 2.40 mFrequency response (Headset): 100Hz - 10KHz, (Microphone): 200 Hz - 6 KHzI year hardware warrantyExternal Hard Drive24TB Storage capacityInterface: USB 3.0, USB 2.0Dimensions (L x W x H): 4.35 x 3.23 x 0.83 inchIncluded: Portable hard drive, USB Cable, Quick install guideLaptop computer1Ram: 8GB DDR4Hard disk : 256 GB SSDVGA: Intel UHD GraphicsDisplay: 13.3" Full HDOperating system: Windows 10 LicenseBattery Life: 3 cells up to 9 HoursOther: WiFi, BT, CameraLaptop computer2Core i7

	-		
	Hard disk: 512GB SSD		
	Operating system: Window 10 License		
	Display: 12.1" (1920 x 1200)		
	Light weight: 0.85 kg ±5%		
	Up to 12 hours's battery life ±5%		
14	Digital camera with lens	1	
	Screen: LCD with vari angle touch screen 7.7 cm, aspect ratio: 3:2		
	Megapixel: 24.2 minimum		
	Image type: Raw + JPEG		
	Image sensor size: 22.3 x 14.9 mm		
	Pixel Dimensions: 6000 x 4000, Pixel Size: 3.72 µm		
	Lens Mount: EF, EF-S, TS-E, MP-E		
	Lens kit: EF-S 18 -55 mm is STM		
	Zoom Lens: EF 24-105mm f/3.5-5.6 IS STM Lens		
	Battery type: Rechargeable lithium-ion battery		
	Video shooting: Full HD 1080p		
	Connectivity: Built-in Wi-Fi, NFC and Bluetooth		
	Memory type: SD, SDHC or SDXC		
	Memory: 64 GB		
	Digital camera with lens		
15	Camera Video	1	
	Memory: SanDisk 64GB		
	Maximum Resolution: 3680 x 2760		
	Aspect ratio: 1:1, 3:2, 4:3, 16:9		
		1	

	-	11
Zoom: 1080p HD Video		
Sensor type: MOS Sensor with 17.3 x 13 mm		
Connectivity: Wifi, HDMI		
Battery: Rechargeable, Li-ion Battery		
Professional Video LED Light		
Sound system	1	
Speaker Processors (2)		
USB Microphone (192KHz/24Bit Zero)		
Analog Mixers versus Digital Mixers		
Live sound		
Stage Snakes and Stage Boxes		
Wireless Lavalier Microphone	2	
Antenna: 1/4 wire antenna		
Channels: 96		
Groups : A and B		
Audio Output level: -60dBV, Headphone Output Level: 30 mW		
Frequency Range: 514 MHz - 596 MHz		
Frequency response : 40 Hz to 18 KHz		
Sensitivity: -95 dBm		
Battery: 2AA		
Dual Lavalier Microphone	2	
Frequency Range: 65 Hz ~ 18KHz		
Signal/Noise: 74dB SPL		
Sensitivity: -30dB +/-3dB/0dB=1V/Pa, 1kHz		
	Sensor type: MOS Sensor with 17.3 x 13 mmConnectivity: Wifi, HDMIBattery: Rechargeable, Li-ion BatteryProfessional Video LED LightSound systemSpeaker Processors (2)USB Microphone (192KHz/24Bit Zero)Analog Mixers versus Digital MixersLive soundStage Snakes and Stage BoxesWireless Lavalier MicrophoneAntenna: 1/4 wire antennaChannels: 96Groups : A and BAudio Output level: -60dBV, Headphone Output Level: 30 mWFrequency Range: 514 MHz - 596 MHzFrequency response : 40 Hz to 18 KHzSensitivity: -95 dBmBattery: 2AADual Lavalier MicrophoneFrequency Range: 65 Hz ~ 18KHzSignal/Noise: 74dB SPL	Sensor type: MOS Sensor with 17.3 x 13 mmConnectivity: Wifi, HDMIBattery: Rechargeable, Li-ion BatteryProfessional Video LED LightSound systemISpeaker Processors (2)USB Microphone (192KHz/24Bit Zero)Analog Mixers versus Digital MixersLive soundStage Snakes and Stage BoxesWireless Lavalier MicrophoneQAntenna: 1/4 wire antennaChannels: 96Groups : A and BAudio Output level: -60dBV, Headphone Output Level: 30 mWFrequency Range: 514 MHz - 596 MHzFrequency response : 40 Hz to 18 KHzSensitivity: -95 dBmBattery: 2AADual Lavalier Microphone2Frequency Range: 65 Hz ~ 18KHzSignal/Noise: 74dB SPL

Output Impedance: 1000 Ohm or less		
Power requirements: LR44 (included)		
Connector: 3.5mm 4-pole gold plug		
Cable length: 4 m		
LED Video Light	2	
Cooling System: Fan		
Display: LED		
Photometrics 5600K		
Fixture Dimensions: 5.5 x 7.1 x 11.8" / 14.0x 18.0 x 30.0 cm		
Connector: Power input 4 - Pin XLR		
Remote control type: Bluetooth, Proprietary wireless		
AC Input Power: 100 to 240 VAC, 50 / 60 Hz		
Power Source: AC Adapter, External battery		
Max Power Consumption: 150 W		
Including stand + softbox		
Live production switcher	1	
Total Video Inputs: 4, outputs: 2, Aux outputs: 1		
Total Audio Inputs: 2 x 3.5mm stereo		
Total Audio Outputs: None, embedded audio only.		
Timecode Connection: None		
HDMI Video Inputs: 4 x HDMI type A, 10-bit HD switchable. 2 channel embedded audio.		
Video Input Re-Sync: On all 4 HDMI inputs.		
Operating system: Mac OS or window 10 or later		
Power Usage: 30W		
	Power requirements: LR44 (included) Connector: 3.5mm 4-pole gold plug Cable length: 4 m LED Video Light Cooling System: Fan Display: LED Photometrics 5600K Fixture Dimensions: 5.5 x 7.1 x 11.8" / 14.0x 18.0 x 30.0 cm Connector: Power input 4 - Pin XLR Remote control type: Bluetooth, Proprietary wireless AC Input Power: 100 to 240 VAC, 50 / 60 Hz Power Source: AC Adapter, External battery Max Power Consumption: 150 W Including stand + softbox Live production switcher Total Video Inputs: 4, outputs: 2, Aux outputs: 1 Total Audio Inputs: 2 x 3.5mm stereo Total Audio Outputs: None, embedded audio only. Timecode Connection: None HDMI Video Inputs: 4 x HDMI type A, 10-bit HD switchable. 2 channel embedded audio. Video Input Re-Sync: On all 4 HDMI inputs. Operating system: Mac OS or window 10 or later	Power requirements: LR44 (included) Connector: 3.5mm 4-pole gold plug Cable length: 4 m LED Video Light Cooling System: Fan Display: LED Photometrics 5600K Fixture Dimensions: 5.5 x 7.1 x 11.8" / 14.0x 18.0 x 30.0 cm Connector: Power input 4 - Pin XLR Remote control type: Bluetooth, Proprietary wireless AC Input Power: 100 to 240 VAC, 50 / 60 Hz Power Source: AC Adapter, External battery Max Power Consumption: 150 W Including stand + softbox Live production switcher I Total Video Inputs: 4, outputs: 2, Aux outputs: 1 Total Audio Outputs: None, embedded audio only. Timecode Connection: None HDMI Video Inputs: 4 x HDMI type A, 10-bit HD switchable. 2 channel embedded audio. Video Input Re-Sync: On all 4 HDMI inputs. Operating system: Mac OS or window 10 or later

21	Portable Voice Amplifier	4	
	Ports: USB, Mic In, AUX In, Micro SD Card		
	Working time: 10 hours		
	Charging time: 3 to 4 hours		
	Capacity: 1500 mAH		
	Frequency: 100 - 15 KHz + 3dB		
	Format: mp3/wav		
	Voice to spread throughout the 400 square meters		
22	Touch Screen LCD	1	
	Display: 80 inch Full HD Interactive (2 032 mm)		
	Touch Screen: Yes		
	Apsect Ratio: 16:9		
	Panel type: VA Panel /Edge -LED		
	Resolution (H x V): 1920 x 1080		
	Included Rolling TV Cart Mobile TV Stand with 40 - 80 inch		
23	Smart TV	2	
	Display: 55 inches		
	Screen type: LED		
	Model year: 2019-2020		
	Smart TV: Yes		
	Resolution Standard: 4K		
	Pixel: 3840 x 2160		
 	Dimensions: 970.2 x 563.2 x 58.8 mm		
Lot 3 ((UBb)	<u> </u>	

1	Computer Laptop	2	
	Processor: 2.4 GHz Intel Core i5 Quad-Core		
	Ram: 8GB		
	Storage: 256 GB SSD		
	Display: 13.3" Retina with True Tune		
	VGA: Intel Graphics		
2	Computer Desktop	28	
	CPU: Intel Core i3-8145U upto 3.9GHz		
	Storage: 1TB HDD		
	RAM: 4GB DDR4		
	HDD: 512GB M.2 PCIe + 1TB		
	Display: 21.5" FHD (1920 X 1080)		
	VGA : Intel Graphic		
	Connection: Wireless + Bluetooth		
3	Headset	30	
	Output power: 50mW		
	Impedance: 32 Ohm		
	Sensitivity: 112 dB ± 3 dB		
	Frequency response: 15Hz - 20 kHz		
	Ear Cups: Yes		
	Input: 3.5 mm Stereo		
	Microphone: yes		
	Condenser: yes		
4	LCD Projector	1	

	Resolution: WXGA (1280 x 800)		
	Lens: Manual zoom (x1.6) Manual focus		
	Lamp Life: 20 000 hr		
	Image size: 25 to 300 inches		
	Brightness: 5,000 ANSI lumens		
	Contrast Ratio (white/black): 500,000:1 with Light Adjust		
	Port: VGA in, Audio Out, Network, Optional WLAN, 1x Type B, 2 x Type A, RS232, 2 x HDMI, Audio in		
	Power requirements: 100 to 240V AC		
	Input current: 5.0A/2.1 A		
	Warranty: 1 year on part		
5	Projector screen (2.4mx2.4m), Automatic rolling	1	
	Size: 2.4 m x 2.4 m		
	Type: Wall Screen Automatic with Remote		
6	Gigabit Switch	2	
	Switch 24 ports		
	Interface: 24 10/100/1000Mbps RJ45 ports, 4 Gigabit SFP/RJ45 combo ports		
	Managed Switch		
	PoE + Ports: 802.3 at/af compliant		
	Bandwidth: 48 +B141:B353Gbps		
	Power supply: 220~240VAC, 50/60Hz		
7	Sever Rack Cabinet 600 x 1000 x 1388	1	
	Size: 600 x 1000 x 1388		
	Steel Casement Door		

	1		
	Perforation Steel Door		
	Double Swing Steel Door		
	Jacking Feet 4pcs		
	Castors 2 pcs		
	Power Strip 1 pcs		
	Wrench 1pcs		
	Shelf 2 pcs		
	Sets of Fan 4pcs		
	Warranty: 1 year on part		
8	Delivery and Installation	1	
	Power supply system and installation		
	Electricity line system with cord cover for 30 computers (Room size: 6m wide x18m long x4m high)		
	Network supply system and installation		
	provide materials for set up networking for 30 computers except manage switch and Cabinet		
	materials: Cat6 cable with UTP modular plugs, boot plug, PVC		
	cable cover		
	Installing Ceiling projector and LCD automatic rolling projector screen (Projector Ceiling mounter, 15m HDMI cable, power supply)		
	Provide technical labor for installation		
Lot 4	(RULE)		
1	Computer Desktop	23	
	CPU: Intel Core I5 7500		
	RAM: 8GB DDR4		
L			

	Storage 128GB M2 + 1TB HDD		
	VGA: Intel Integreted HD Grphic 3000		
	OS: DOS		
2	Computer Laptop	2	
	Processor: Intel® Core i7- 8250U		
	Memory: 8GB DDR4		
	Hard Drive:SATA 1TB + 256GB M2 SSD		
	Graphic: Nvidia 4GB		
	Display: 14"		
3	Switch	2	
	24-Port Gigabit L2		
	Managed Switch with 4 Combo SFP Slots		
	up to 4K VLANs simultaneously (out of 4K VLAN IDs)		
	24 10/100/1000Mbps RJ45 Ports		
4	RACK 37U-1000	1	
	RACK-37U-1000		
	DEEP 600 x 1000 x 1800		
	RACK MOUNT 4FAN,		
	included (Fix tray: 1, PDU 6PORT:1)		
5	POE SWITCH	1	
	L2 and L2+ Features		
	up to 4K VLANs simultaneously (out of 4K VLAN IDs)		
	24 10/100/1000Mbps RJ45 Ports		
	24-Port Gigabit Smart PoE+ Switch with 4 SFP Slots		

6	Projector	3	
	Brightness 3000 lumens		
	Lamp Life Up to 20,000 hours		
	Resolution XGA (1024 x 768) 786,432 pixels		
	Projector Distance 1.0 - 9.4 m		
	Image Size 76 cm - 762 cm		
	Interface VGA and HDMI Inputs		
7	Network Cable Cate6	1	
	Original Cat6 (STP) cable		
8	Network Connector Cate6 RJ45	1	
	Original Cat6 Connector		
	Modular Plug (connector) Shielded 100 pcs, Cat6		
9	Rack Server	1	
	CPU: Intel Xeon Silver 4114 2.2G, 10C/20T, 9.6GT/s 2UPI, 14M Cache, Turbo, HT (85W)		
	RAM: 32GB(2x16GB) RDIMM, 2666MT/s,		
	Storage: 3TB7.2K RPM NLSAS 12Gbps 512n 2.5in Hot-plug Hard Drive		
	Network card:4Ports		

In preparing your quotation, you are requested to observe the following:

1. Your quotation should be addressed to:

The Project Manager

Industry Linkage Office, Office A-206, Building A, Russian Confederation Boulevard, Phnom Penh, Cambodia Phone: 092 475 547, E-mail: chhanthyda@itc.edu.kh Attn: Mrs. Chanthyda Nong, Procurement Officer 2. Your quotation should be delivered to the address above at or before **4:00 pm on March 1st**, **2021** and sealed with the mention **Do Not Open** Before 2:30 pm on March 2nd, 2021.

The Opening quotation will be 2:30 pm on March 2nd, 2021 at the Institute of Technology of Cambodia and/or via online broadcasting on FoodSTEM Facebook page : https://www.facebook.com/FoodSTEMEUProject/

3. Eligible Goods and Services

Training a new generation of entrepreneurs in sustainable agriculture and food engineering (hereinafter called Erasmus+ **FoodSTEM Project**), reference number **610052-EPP-1-2019-1-KH-EPPKA2-CBHE-JP**, is a co-funded by the Erasmus+ Programme of the European Union and open to all eligible bidders.

4. Delivery of Equipment

This Electronic Equipment package contains four lots equipment, which lot 1 for ITC, lot 2 for RUA lot 3 for UBB and lot 4 for RULE. Supplier shall deliver and install Equipment to the Purchaser's premises and to FoodSTEM University Partners premises as specified below.

Institute of Technology of Cambodia

Russian Confederation Boulevard, Phnom Penh, Cambodia

Royal University of Agriculture

Chamkar Daung, Dangkor Phnom Penh, Cambodia

University of Battambang

National Road 5, Sangkat Preaek Preah Sdach, Battambang city, Battambang 020101, Cambodia

Royal University of Law and Economics

French Department in Economics and Management Monivong Blvd, Sangkat Tonle Basac, Khan Chamcarmorn, Phnom Penh, Cambodia

The details of the repartition of equipment between universities is specified above.

5. Taxes, Duties, License Fees

The Supplier shall be responsible for taxes, license fees, etc., incurred during the delivery of the contracted services to the purchaser.

6. Warranty

At least one year warranty on all items must be included in the final price.

7. Payment

Payment will be made by bank transfer presenting the full amount shown in the Invoice with detail statement. In the quotation, need to state the name, identity card number and address of the representative authorized to collect payment. Payment for supplies will be made when Equipment are installed at FoodSTEM University Partners as follow:

- University of Battambang
- Royal University of Law and Economics
- Royal University of Cambodia
- Institute of Technology of Cambodia.

The payment will be based on fixed price.

8. Evaluation of Quotation

The purchaser will determine which quotation responds to the Description and, the price, is acceptable from a technical point of view. Quotations which are not responsive will be rejected and will be eliminated from further consideration. The purchaser reserved the right to accept or reject any quotation and annul process of inviting quotation and reject at any time prior to award of the contract, without thereby incurring any liability to the affected supplier or any obligation to inform the affected supplier of the grounds for the Purchaser's action.

9. Validity of the quotation

Prices of the quotation shall be valid for 1 to 3 months from the date of your submission of quotation.

We look forward to receiving the quotation before the time and date stipulated above. Quotation received after this date will be rejected and returned to the supplier unopened.

Cumma . H

Yours sincerely, **Sokneang IN**

Project Manager, FoodSTEM